

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011379-R3  
DATE: 01/02/2013  
CERTIFICATION PROGRAM: Structural  
COMPANY: Nabco  
CODE: 1937-1  
REVISION DATE: 07/10/2019

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Nabco Entrances, Inc.</b> <b>S82 W18717 Gemini Drive</b> <b>Muskego, WI 53150</b>	<b>Series "GT 1175"</b> <b>Glazed Bipart Aluminum Slider</b> <b>Full Open Sidelite w/o Transom</b>  Configuration: XXXX Glazing: Laminate-3/16" Tempered Glass/ 1/8" Solutia Saflex Interlayer/3/16" Tempered Glass  Frame: W-4877mm(192") H-2324mm(91.5") Panel: W-1240mm(48.81") H-2115mm(83.25")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: +60/-70 psf</b> <b>Large &amp; Small Missile Impact Rated</b>

Product Tested By: Hurricane Engineering & Testing, Inc./Architectural Testing, Inc.  
Report No: HETI-00-881/HETI-00-882/HETI-00-4166/HETI-00-T051/ATI-C2942.01-602-18/W-1537  
Expiration Date: **December 31, 2022**

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122