

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011380-R3
DATE: 01/02/2013
CERTIFICATION PROGRAM: Structural
COMPANY: Nabco
CODE: 1937-1
REVISION DATE: 07/10/2019

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Nabco Entrances, Inc. S82 W18717 Gemini Drive Muskego, WI 53150	Series "GT 1175" Glazed Bipart Aluminum Slider Fixed Sidelite w/o Transom Configuration: OXXO Glazing: Laminate-3/16" Tempered Glass/ 1/8" Solutia Saflex Interlayer/3/16" Tempered Glass Frame: W-4877mm(192") H-2324mm(91.5") Panel: W-1240mm(48.81") H-2115mm(83.25")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: +60/-60 psf Large & Small Missile Impact Rated

Product Tested By: Hurricane Engineering & Testing, Inc./Architectural Testing, Inc.
Report No: HETI-00-888/HETI-00-891/HETI-00-4166/HETI-00-T051/ATI-C2942.01-602-18/W-1537
Expiration Date: **December 31, 2022**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be 'S.M.', written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122